PE 500 / PE 500 Regenerate

Product Information

Material PE 500 / PE-HMW

The materials of the polyethylene PE 500 product family are characterised by excellent sliding properties, extreme wear resistance, high impact strength as well as excellent resistance to chemicals. They have become well established in technical applications. A high-molecular polyethylene with a molecular weight of over 500,000.

Other designations:

PE-HMW, RCH500

.....

Material PE 500 Reg.

PE 500 Regenerate is made of finely ground PE 500 and PE 1000. PE 500 Reg. is characterised by high impact strength and has proven itself for many technical applications. A high-molecular polyethylene with a molecular weight of over

500,000.

Applications of PE 500 / PE 500 Reg.:


 MK-Premium 500 is a high-molecular polyethylene characterised by good mechanical properties such as scratch and cut resistance and very good resistance to acids.
 The material is used in branches such as the slaughterhouse/food industry, but also in shop-floor and cold store construction.

Characteristics:

- Increased mechanical properties
- Good sliding and wear properties
- High cut and scratch resistance
- Physiologically harmless

Other designations:

PE-HMW-R, RCH500, PE 500 Regenerate, PE-HMW-Regenerate



PE 500

Product Charts

Sheets



SHEETS PE 500	Thick- ness mm	Tolerance mm	Weight kg/item	Avail- ability
2000 x 1000 mm	1	+0 ~ +0.4	1.96	МТО
	2	-0.2 ~ +0.2	3.92	S
	3	-0.2 ~ +0.2	5.88	S
	4	-0.2 ~ +0.2	7.78	S
	5	-0.3 ~ +0.3	9.80	S
	6	-0.3 ~ +0.3	11.76	S
	8	-0.2 ~ +0.2	15.70	S
	10	-0.2 ~ +0.2	19.60	S
	12	-0.2 ~ +0.2	23.50	S
	15	-0.2 ~ +0.2	29.40	S
	20	-0.2 ~ +0.2	39.20	S
	25	-0.2 ~ +0.2	49.00	S
	30	-0.2 ~ +0.2	58.80	S
	35	-0.3 ~ +0.3	68.60	S
	40	-0.3 ~ +0.3	78.40	S
	50	-0.3 ~ +0.3	98.00	S
	60	-0.3 ~ +0.3	117.60	S
	70	-0.3 ~ +0.3	137.20	S
	80	-0.3 ~ +0.3	156.80	S
	90	-0.3 ~ +0.3	176.40	S
	100	-0.3 ~ +0.3	196.00	S
	110	-0.3 ~ +0.3	215.60	МТО
	120	-0.3 ~ +0.3	235.20	МТО
	130	-0.5 ~ +0.5	254.80	МТО
	140	-0.5 ~ +0.5	274.40	МТО
	150	-0.5 ~ +0.5	294.00	МТО

SHEETS PE 500	Thick- ness mm	Tolerance mm	Weight kg/item	Avail- ability
3000 x 1250 mm	8	-0.2 ~ +0.2	29.40	МТО
	10	-0.2 ~ +0.2	36.80	S
	12	-0.2 ~ +0.2	44.10	S
	15	-0.2 ~ +0.2	55.10	S
	20	-0.2 ~ +0.2	73.50	S
	25	-0.2 ~ +0.2	91.90	S
	30	-0.2 ~ +0.2	110.30	S
	35	-0.3 ~ +0.3	128.60	S
	40	-0.3 ~ +0.3	147.00	S
	50	-0.3 ~ +0.3	183.80	S
	60	-0.3 ~ +0.3	220.50	S
	70	-0.3 ~ +0.3	257.30	МТО
	80	-0.3 ~ +0.3	294.00	МТО
	90	-0.3 ~ +0.3	330.80	МТО
	100	-0.3 ~ +0.3	367.50	МТО
	110	-0.3 ~ +0.3	404.30	МТО

Colours:

Natural, black, yellow, reddish brown, red, blue, green, grey Other colours available on request

Special designs:

PE 500 UV

We can supply finished parts manufactured according to your drawings, semi-finished products and blanks.

We can deliver finished parts, plates and blanks made of PE 500.

PE 500 Regenerate

Product Charts

Sheets



SHEETS PE 500 REG	Thick- ness mm	Tolerance mm	Weight kg/item	Avail- ability
2000 x 1000 mm	8	-0.2 ~ +0.2	15.70	МТО
	10	-0.2 ~ +0.2	19.60	MTO
	12	-0.2 ~ +0.2	23.50	МТО
	15	-0.2 ~ +0.2	29.40	MTO
	20	-0.2 ~ +0.2	39.20	MTO
	25	-0.2 ~ +0.2	49.00	МТО
	30	-0.2 ~ +0.2	58.80	МТО
	35	-0.3 ~ +0.3	68.60	МТО
	40	-0.3 ~ +0.3	78.40	МТО
	50	-0.3 ~ +0.3	98.00	МТО
	60	-0.3 ~ +0.3	117.60	МТО
	70	-0.3 ~ +0.3	137.20	МТО
	80	-0.3 ~ +0.3	156.80	МТО
	90	-0.3 ~ +0.3	176.40	МТО
	100	-0.3 ~ +0.3	196.00	МТО
	110	-0.3 ~ +0.3	215.60	МТО
	120	-0.3 ~ +0.3	235.20	МТО
	130	-0.5 ~ +0.5	254.80	МТО
	140	-0.5 ~ +0.5	274.40	МТО
	150	-0.5 ~ +0.5	294.00	МТО

SHEETS PE 500 REG	Thick- ness mm	Tolerance mm	Weight kg/item	Avail- ability
3000 x 1250 mm	8	-0.2 ~ +0.2	29.40	МТО
	10	-0.2 ~ +0.2	36.80	МТО
	12	-0.2 ~ +0.2	44.10	МТО
	15	-0.2 ~ +0.2	55.10	МТО
	20	-0.2 ~ +0.2	73.50	МТО
	25	-0.2 ~ +0.2	91.90	МТО
	30	-0.2 ~ +0.2	110.30	МТО
	35	-0.3 ~ +0.3	128.60	МТО
	40	-0.3 ~ +0.3	147.00	МТО
	50	-0.3 ~ +0.3	183.80	МТО
	60	-0.3 ~ +0.3	220.50	МТО
	70	-0.3 ~ +0.3	257.30	МТО
	80	-0.3 ~ +0.3	294.00	МТО
	90	-0.3 ~ +0.3	330.80	МТО
	100	-0.3 ~ +0.3	367.50	МТО
	110	-0.3 ~ +0.3	404.30	МТО

Colours:

Green, black, black-multi, confetti Other colours available on request

For further dimensions contact, please contact us directly.

We can deliver finished parts, plates and blanks made of PE 500 Reg.



We produce plastic stock shapes and engineer tailor made solutions.





Comco EPP GmbH (AT)

info@comco-epp.com

COMCONYLON
High Performance in Plastics

Comco Nylon GmbH (DE)

info@comco-nylon.com

COMCOEPP MIDDLE
Engineering Plastic Products

Comco EPP Middle East DMCC (AE)

sales@comco-epp.ae

COMCOEPP EAST ASIA &

Comco EPP East Asia & PI Division (KR)

sales@comco-epp.kr